IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Hanae KAKU et al.

Serial No.:

10/591,576

Group No.:

Filed:

08/31/2006

Examiner:

For:

Chitin Oligosaccharide Elicitor-Binding Proteins

INFORMATION DISCLOSURE STATEMENT

MS PCT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

CERTIFICATE OF MAILING UNDER 37 CFR § 1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to the: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on May 16, 2007.

By:

Cliff Cannon-Cin

Dear Sir or Madam:

The citations listed below, copies attached, may be material to the examination of the above-identified application, and are therefore submitted in compliance with the duty of disclosure defined in 37 C.F.R. § 1.56 and § 1.97. The Examiner is requested to make these citations of official record in this application:

- Publication No. US 2005/0034189 A1 of Minami et al., "Chitin oligosaccharide elicitor and gibberellin responsive genes in plants and uses thereof (2005) as English translation of related Publication No. WO 2003/054196 A1;
- Publication No. WO 2003/000906 A2 of Glazebrook et al., "Plant disease resistance genes" (2003) provided by WIPO;
- Publication No. WO 2003/054196 A1 of Minami et al., "Chitin oligosaccharide elicitor and gibberellin responsive genes in plant and utilization thereof' (2003) see Publication No. US 2005/0034189 A1 as English translation;
- Baureithel et al., "Specific, high affinity binding of chitin fragments to tomato cells and membranes," J Biol Chem, 269:17931-17938 (1994);

- Day et al., "Binding site for chitin oligosaccharides in the soybean plasma membrane," Plant Physiology, 126:1162-1173 (2001);
- He *et al.*, "Gene activation by cytoplasmic acidification in suspension-cultured rice cells in response to the potent elicitor, *N*-acetylchitoheptaose," *MPMI*, 11:1167-1174 (1998);
- Ito et al., "Identification of a high-affinity binding protein for N-acetylchitooligosaccharide elicitor in the plasma membrane of suspension cultured rice cells by affinity labeling," Plant J, 12:347-356 (1997);
- Kaku *et al.*, "Rice chitin oligosaccharide elicitor," Proceedings of the Annual Meeting and 41st Symposium of the Japanese Society of Plant Physiologists, p. 162 (F306) (2001) provided by WIPO;
- Kikuyama *et al.*, "Membrane depolarization induced by *N*-acetylchitooligosaccharide elicitor in suspension-cultured rice cells," *Plant Cell Physiol*, 38:902-909 (1997);
- Minami *et al.*, "Two novel genes rapidly and transiently activated in suspension-cultured rice cells by treatment with *N*-acetylchitoheptaose, a biotic elicitor for phytoalexin production," *Plant Cell Physiol*, 37:563-567 (1996);
- Okada et al., "Identification of a high-affinity binding protein for N-acetylchitooligosaccharide elicitor in the plasma membrane from rice leaf and root cells,"
 J Plant Physiol, 158:121-124 (2001);
- Okada *et al.*, "High-affinity binding proteins for *N*-acetylchitooligosaccharide elicitor in the plasma membranes from wheat, barley and carrot cells: conserved presence and correlation with the responsiveness to the elicitor," *J Plant Physiol*, 45:505-512 (2002);
- Shibuya *et al.*, "Identification of a novel high-affinity binding site for *N*-acetylchitooligosaccharide elicitor in the membrane fraction from suspension-cultured rice cells," *FEBS Letters*, 329:75-78 (1993);
- Shibuya *et al.*, "Localization and binding characteristics of a high-affinity binding site for *N*-acetylchitooligosaccharide elicitor in the plasma membrane from suspension-cultured rice cells suggest a role as a receptor for the elicitor signal at the cell surface," *J Plant Physiol*, 37:894-898 (1996);
- Takai *et al.*, "Isolation and analysis of expression mechanisms of a rice gene, EL5, which shows structural similarity to ATL family from *Arabidopsis*, in response to *N*-acetylchitooligosaccharide elicitor," *Plant Science*, 160:577-583 (1993);

- Yamada *et al.*, "Induction of phytoalexin formation in suspension-cultured rice cells by *N*-acetylchitooligosaccharides," *Biosci Biotech Biochem*, 57:405-409 (1993);
- Yamaguchi et al., "Activation of phospholipases by N-acetylchitooligosaccharide elicitor in suspension-cultured rice cells mediates reactive oxygen generation," Physiologia Plantarum, 118:361-370 (2003);
- GENBANK Accession No. AC099399 (2001) provided by WIPO; and
- GENBANK Accession No. AK073032 (2001) provided by WIPO.

This Information Disclosure Statement under 37 C.F.R. § 1.56 and § 1.97 is not to be construed as a representation that a search has been made, that additional information material to the examination of this application does not exist, or that any one or more of these citations constitutes prior art.

Dated: May 16, 2007

Christine A. Lekutis Registration No. 51,934

MEDLEN & CARROLL, LLP 101 Howard Street, Suite 350 San Francisco, California 94105 415/904-6500 FORM PTO-1449 (Modified)

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: SHIMIZU-13111

Serial No.: 10/591,576

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Applicant: Hanae Kaku

U.S. PATENT DOCUMENTS Subclass Filing Cite Document / Patent Number Publication / Issue Date Applicant / Patentee Class Subclass Filing M.I./ 1 2005/0034189 02/10/2005 Minami et al. 06/18/.	004 tion No
Initials No. Patent Number Issue Date Applicant / Patentee Class Subclass Fling / M.I./ 1 2005/0034189 02/10/2005 Minami et al. 06/18/. FOREIGN PATENTS OR PUBLISHED FOREIGN PATENT APPLICATIONS FOREIGN PATENTS OR PUBLISHED FOREIGN PATENT APPLICATIONS Document Number Publication Date Country / Patent Office Class Subclass Transle Yes	004 tion No
FOREIGN PATENTS OR PUBLISHED FOREIGN PATENT APPLICATIONS Document Number Publication Date Country / Patent Office Class Subclass Translet Yes	tion No
Document Number Publication Date Country / Patent Office Class Subclass Transle Yes	No
Document Number Publication Date Country / Patent Office Class Subclass Transle Yes	No
Mail Publication Date Country Patent Office Class Subclass Yes	No
/M.I./ 2 WO 2003/000906 01/03/2003 PCT x OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) /M.I./ 4 Baureithel et al., "Specific, high affinity binding of chitin fragments to tomato cells and membranes," J Biol Chem, 269:17931-17938 (1997) /M.I./ 5 Day et al., "Binding site for chitin oligosaccharides in the soybean plasma membrane," Plant Physiology, 126:1162-1173 (2001) /M.I./ 6 He et al., "Gene activation by cytoplasmic acidification in suspension-cultured rice cells in response to the potent elicitor, N-acetylchitoheptaose," MPMI, 11:1167-1174 (1998) /M.I./ 7 Ito et al., "Identification of a high-affinity binding protein for N-acetylchitooligosaccharide elicitor in the plasma membrane of suspension cultured rice cells by affinity labeling," Plant J, 12:347-356 (1997) /M.I./ 8 Kaku et al., "Rice chitin oligosaccharide elicitor," Proceedings of the Annual Meeting and 41st Symposium of the Japanese Society of Plant Physiologists, p. 162 (F306) (2001) provided by WIPO /M.I./ 9 Kikuyama et al., "Membrane depolarization induced by N-acetylchitooligosaccharide elicitor in suspension-cultured rice cells by treatment with N-acetylchitoheptaos biotic elicitor for phytoalexin production," Plant Cell Physiol, 37:563-567 (1996) /M.I./ 10 Okada et al., "Identification of a high-affinity binding protein for N-acetylchitooligosaccharide elicitor in the plasma membrane from rice and root cells," J Plant Physiol, 158:121-124 (2001) /M.I./ 12 Okada et al., "Identification of a high-affinity binding site for N-acetylchitooligosaccharide elicitor in the membrane from wheat, barley and catells: conserved presence and correlation with the responsiveness to the elicitor," J Plant Physiol, 45:505-512 (2002) /M.I./ 13 Shibuya et al., "Identification of a novel high-affinity binding site for N-acetylchitooligosaccharide elicitor in the membrane fraction from	
OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) /M.I./ 4 Baureithel et al., "Specific, high affinity binding of chitin fragments to tomato cells and membranes," J Biol Chem, 269:17931-17938 (1997) /M.I./ 5 Day et al., "Binding site for chitin oligosaccharides in the soybean plasma membrane," Plant Physiology, 126:1162-1173 (2001) /M.I./ 6 He et al., "Gene activation by cytoplasmic acidification in suspension-cultured rice cells in response to the potent elicitor, N-acetylchitoheptaose," MPMI, 11:1167-1174 (1998) /M.I./ 7 Ito et al., "Identification of a high-affinity binding protein for N-acetylchitooligosaccharide elicitor in the plasma membrane of suspension cultured rice cells by affinity labeling," Plant J, 12:347-356 (1997) /M.I./ 8 Kaku et al., "Rice chitin oligosaccharide elicitor," Proceedings of the Annual Meeting and 41st Symposium of the Japanese Society of Plant Physiologists, p. 162 (F306) (2001) provided by WIPO /M.I./ 9 Kikuyama et al., "Membrane depolarization induced by N-acetylchitooligosaccharide elicitor in suspension-cultured rice cells," Plant Cell Physiol, 38:902-909 (1997) /M.I./ 10 Minami et al., "Two novel genes rapidly and transiently activated in suspension-cultured rice cells by treatment with N-acetylchitoheptaos biotic elicitor for phytoalexin production," Plant Cell Physiol, 37:563-567 (1996) /M.I./ 11 Okada et al., "High-affinity binding proteins for N-acetylchitooligosaccharide elicitor in the plasma membrane from rice and root cells," J Plant Physiol, 158:121-124 (2001) /M.I./ 12 Okada et al., "High-affinity binding proteins for N-acetylchitooligosaccharide elicitor in the plasma membrane from wheat, barley and catellis: conserved presence and correlation with the responsiveness to the elicitor," J Plant Physiol, 45:505-512 (2002)	
M.I./ Baureithel et al., "Specific, high affinity binding of chitin fragments to tomato cells and membranes," J Biol Chem, 269:17931-17938 (1997)	
/M.1./ 5 Day et al., "Binding site for chitin oligosaccharides in the soybean plasma membrane," Plant Physiology, 126:1162-1173 (2001) /M.1./ 6 He et al., "Gene activation by cytoplasmic acidification in suspension-cultured rice cells in response to the potent elicitor, N-acetylchitoheptaose," MPMI, 11:1167-1174 (1998) /M.1./ 7 Ito et al., "Identification of a high-affinity binding protein for N-acetylchitooligosaccharide elicitor in the plasma membrane of suspension cultured rice cells by affinity labeling," Plant J, 12:347-356 (1997) /M.1./ 8 Kaku et al., "Rice chitin oligosaccharide elicitor," Proceedings of the Annual Meeting and 41st Symposium of the Japanese Society of Plant Physiologists, p. 162 (F306) (2001) provided by WIPO /M.1./ 9 Kikuyama et al., "Membrane depolarization induced by N-acetylchitooligosaccharide elicitor in suspension-cultured rice cells," Plant Cell Physiol, 38:902-909 (1997) /M.1./ 10 Minami et al., "Two novel genes rapidly and transiently activated in suspension-cultured rice cells by treatment with N-acetylchitoheptaos biotic elicitor for phytoalexin production," Plant Cell Physiol, 37:563-567 (1996) /M.1./ 11 Okada et al., "Identification of a high-affinity binding protein for N-acetylchitooligosaccharide elicitor in the plasma membrane from rice and root cells," J Plant Physiol, 158:121-124 (2001) /M.1./ 12 Okada et al., "Identification of a novel high-affinity binding site for N-acetylchitooligosaccharide elicitor in the membrane fraction from N-acetylchitooligosaccharide elicitor in the membrane fraction from the plasma membrane fraction from the plasma membrane fraction from the ellicitor in the membrane fraction from N-acetylchitooligosaccharide elicitor in the membrane fraction from N-acetylc	
M.I./ 1.	1)
acetylchitoheptaose," MPMI, 11:1167-1174 (1998) M.I./ Ito et al., "Identification of a high-affinity binding protein for N-acetylchitooligosaccharide elicitor in the plasma membrane of suspension cultured rice cells by affinity labeling," Plant J, 12:347-356 (1997) M.I./ Raku et al., "Rice chitin oligosaccharide elicitor," Proceedings of the Annual Meeting and 41st Symposium of the Japanese Society of Plant Physiologists, p. 162 (F306) (2001) provided by WIPO Minami et al., "Membrane depolarization induced by N-acetylchitooligosaccharide elicitor in suspension-cultured rice cells," Plant Cell Physiol., 38:902-909 (1997) Minami et al., "Two novel genes rapidly and transiently activated in suspension-cultured rice cells by treatment with N-acetylchitoheptaos biotic elicitor for phytoalexin production," Plant Cell Physiol., 37:563-567 (1996) M.I./ Okada et al., "Identification of a high-affinity binding protein for N-acetylchitooligosaccharide elicitor in the plasma membrane from rice and root cells," J Plant Physiol, 158:121-124 (2001) Okada et al., "High-affinity binding proteins for N-acetylchitooligosaccharide elicitor in the plasma membranes from wheat, barley and carcells: conserved presence and correlation with the responsiveness to the elicitor," J Plant Physiol, 45:505-512 (2002) Shibuya et al., "Identification of a novel high-affinity binding site for N-acetylchitooligosaccharide elicitor in the membrane fraction from	
cultured rice cells by affinity labeling," <i>Plant J</i> , 12:347-356 (1997) Kaku et al., "Rice chitin oligosaccharide elicitor," Proceedings of the Annual Meeting and 41st Symposium of the Japanese Society of Plar Physiologists, p. 162 (F306) (2001) provided by WIPO Minami et al., "Membrane depolarization induced by N-acetylchitooligosaccharide elicitor in suspension-cultured rice cells," <i>Plant Cell Physiol</i> , 38:902-909 (1997) Minami et al., "Two novel genes rapidly and transiently activated in suspension-cultured rice cells by treatment with N-acetylchitoheptaos biotic elicitor for phytoalexin production," <i>Plant Cell Physiol</i> , 37:563-567 (1996) Minami et al., "Identification of a high-affinity binding protein for N-acetylchitooligosaccharide elicitor in the plasma membrane from rice and root cells," <i>J Plant Physiol</i> , 158:121-124 (2001) Minami et al., "High-affinity binding proteins for N-acetylchitooligosaccharide elicitor in the plasma membranes from wheat, barley and carcells: conserved presence and correlation with the responsiveness to the elicitor," <i>J Plant Physiol</i> , 45:505-512 (2002) Shibuya et al., "Identification of a novel high-affinity binding site for N-acetylchitooligosaccharide elicitor in the membrane fraction from	
Physiologists, p. 162 (F306) (2001) provided by WIPO Mil./ Minami et al., "Membrane depolarization induced by N-acetylchitooligosaccharide elicitor in suspension-cultured rice cells," Plant Cell Physiol, 38:902-909 (1997) Minami et al., "Two novel genes rapidly and transiently activated in suspension-cultured rice cells by treatment with N-acetylchitoheptaos biotic elicitor for phytoalexin production," Plant Cell Physiol, 37:563-567 (1996) Mil./ Okada et al., "Identification of a high-affinity binding protein for N-acetylchitooligosaccharide elicitor in the plasma membrane from rice and root cells," J Plant Physiol, 158:121-124 (2001) Okada et al., "High-affinity binding proteins for N-acetylchitooligosaccharide elicitor in the plasma membranes from wheat, barley and carcells: conserved presence and correlation with the responsiveness to the elicitor," J Plant Physiol, 45:505-512 (2002) Shibuya et al., "Identification of a novel high-affinity binding site for N-acetylchitooligosaccharide elicitor in the membrane fraction from	
Physiol, 38:902-909 (1997) Minami et al., "Two novel genes rapidly and transiently activated in suspension-cultured rice cells by treatment with N-acetylchitoheptaos biotic elicitor for phytoalexin production," Plant Cell Physiol, 37:563-567 (1996) Okada et al., "Identification of a high-affinity binding protein for N-acetylchitooligosaccharide elicitor in the plasma membrane from rice and root cells," J Plant Physiol, 158:121-124 (2001) Okada et al., "High-affinity binding proteins for N-acetylchitooligosaccharide elicitor in the plasma membranes from wheat, barley and carcells: conserved presence and correlation with the responsiveness to the elicitor," J Plant Physiol, 45:505-512 (2002) Shibuya et al., "Identification of a novel high-affinity binding site for N-acetylchitooligosaccharide elicitor in the membrane fraction from	:
biotic elicitor for phytoalexin production," Plant Cell Physiol, 37:563-567 (1996) M.I. Okada et al., "Identification of a high-affinity binding protein for N-acetylchitooligosaccharide elicitor in the plasma membrane from rice and root cells," J Plant Physiol, 158:121-124 (2001) Okada et al., "High-affinity binding proteins for N-acetylchitooligosaccharide elicitor in the plasma membranes from wheat, barley and carcells: conserved presence and correlation with the responsiveness to the elicitor," J Plant Physiol, 45:505-512 (2002) M.I. Shibuya et al., "Identification of a novel high-affinity binding site for N-acetylchitooligosaccharide elicitor in the membrane fraction from	
and root cells," J Plant Physiol, 158:121-124 (2001) M.I./ 12 Okada et al., "High-affinity binding proteins for N-acetylchitooligosaccharide elicitor in the plasma membranes from wheat, barley and carcells: conserved presence and correlation with the responsiveness to the elicitor," J Plant Physiol, 45:505-512 (2002) M.I./ 13 Shibuya et al., "Identification of a novel high-affinity binding site for N-acetylchitooligosaccharide elicitor in the membrane fraction from	, a
cells: conserved presence and correlation with the responsiveness to the elicitor," <i>J Plant Physiol</i> , 45:505-512 (2002) M.I./ Shibuya et al., "Identification of a novel high-affinity binding site for N-acetylchitooligosaccharide elicitor in the membrane fraction from	af
1 12 Should be use, identification of a novel night attribity smaller site for it acceptent congosaccinated chertor in the membrane machini notifi	rot

Shibuya et al., "Localization and binding characteristics of a high-affinity binding site for N-acetylchitooligosaccharide elicitor in the plass membrane from suspension-cultured rice cells suggest a role as a receptor for the elicitor signal at the cell surface," J Plant Physiol, 37:894 (1996)	а -898
/M.l./ Takai et al., "Isolation and analysis of expression mechanisms of a rice gene, EL5, which shows structural similarity to ATL family from Arabidopsis, in response to N-acetylchitooligosaccharide elicitor," Plant Science, 160:577-583 (1993)	
/M.I./ Yamada et al., "Induction of phytoalexin formation in suspension-cultured rice cells by N-acetylchitooligosaccharides," Biosci Biotech Bio 57:405-409 (1993)	chem,
Yamaguchi et al., "Activation of phospholipases by N-acetylchitooligosaccharide elicitor in suspension-cultured rice cells mediates reactivoxygen generation," Physiologia Plantarum, 118:361-370 (2003)	;
/M.1./ 18 GENBANK Accession No. AC099399 (2001) provided by WIPO	
/M.I./ 19 GENBANK Accession No. AK073032 (2001) provided by WIPO	
20	
21	
22	
23	
24	
25	
Examiner: /Medina Ibrahim/ Date Considered: 12/07/2008	

EXAMINER:Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.